

	Engine	Model	Drive	S'Drive	HAND	HP	@ RPM	Redn	Rev	Shaft rpm	Diam"	Pitch°	
	<i>Jun</i>	<i>Jul</i>	<i>Aug</i>	<i>Sep</i>	<i>Oct</i>	<i>Nov</i>	<i>Dec</i>	<i>Jan</i>	<i>Feb</i>	<i>Mar</i>	<i>Apr</i>	<i>May</i>	
K3	Arona	A1000	NZ1"	N1R	RH	23	2800	2.00	2.00	1400	X	15.50	22
K3	Arona	A1000	NZ1"	N1R	RH	23	2800	2.40	2.40	1167		17.00	22
K3	Beta	BD1005	1"	1L	LH	28	3600	2.00	2.00	1800		15.50	20
K3	Beta	BD1005	Spline	120S	LH	28	3600	2.20	2.20	1636		16.00	20
K3	Beta	BD1005	Blank	BR	RH	28	3600	2.33	2.64	1545		16.00	22
K3	Beta	BD1005	25mm	25R	RH	28	3600	2.40	2.04	1500		16.00	21
K3	Beta	BD1005	Blank	BR	RH	28	3600	2.50	2.50	1440		16.50	21
K3	Beta	BD1105	1"	1L	LH	29	3600	2.00	2.00	1800		15.50	21
K3	Beta	BD1565	25mm	25R	RH	37	3000	2.36	2.36	1271		17.00	23
K3	Beta	BD722	25mm	25R	RH	19	3600	2.00	2.00	1800		14.00	22
K3	Beta	BD722	NZ1"	N1R	RH	20	3600	2.05	1.86	1756		14.00	20
K3	Beta	BD722	Spline	T' SP60	LH	20	3600	2.15	2.15	1674		15.50	20
K3	Beta	BD722	25mm	25L	LH	20	3600	2.23	2.70	1614		15.50	19
K3	Beta	BD722	1"	1R	RH	20	3600	2.60	2.13	1385	B	15.50	22
K3	Beta	BD722	NZ1"	N1R	RH	20	3600	2.61	2.13	1379		15.00	22
K3	Beta	BD722	25mm	25R	RH	20	3600	2.70	2.23	1333		15.50	18
K3	Beta	BETA	1.250"	1.250R	RH	37	3000	2.00		1500		17.00	20
K3	Beta	Beta 25	1"	1R	RH	25	3600	2.00	2.13	1800		14.50	21
K3	Beta	Beta 25	1"	1R	RH	25	3600	2.05	2.05	1756		16.00	19
K3	Beta	Beta 25	Spline	ZF SD10	LH	25	3600	2.16	2.16	1667		15.50	21
K3	Beta	Beta 25	1"	1R	RH	25	3600	2.45	2.45	1469		16.00	21
K3	Beta	Beta 25	Spline	ZF SD10	LH	25	3600	2.49	2.49	1446		16.00	21
K3	Beta	Beta 25	25mm	25R	RH	25	3600	2.50		1440		16.00	21
K3	Beta	Beta 25	1"	1R	RH	25	3600	2.60	2.13	1385		16.00	21.00
K3	Beta	Beta 25	25mm	25R	RH	25	3600	2.61		1379		16.50	21
K3	Beta	Beta 25	1"	1R	RH	25	3600	2.00	2.13	1800		14.50	21
K3	Beta	Beta 28	NZ1"	N1R	RH	27	3600	2.60	2.13	1385	B	14.50	22

K3	Beta	Beta 30	1"	1R	RH	30	3600	2.00	2.00	1800	15.50	21
K3	Beta	Beta 30	1.125"	1.125R	RH	30	3600	2.72	2.22	1324	17.00	21
K3	Beta	Beta 35	1"	1L	LH	35	2800	2.00	2.00	1400	17.00	22
K3	Beta	Beta 43	1.250"	1.250R	RH	43	2800	2.00	2.00	1400	18.50	21
K3	Beta	Beta 43	1.125"	1.125L	LH	43	2800	2.13	2.13	1315	18.50	22
K3	Beta	Beta 50	1.250"	1.250R	RH	50	2800	2.00	2.00	1400	18.50	23
K3	Beta	Beta 60	30mm	30R	RH	58	2800	2.00	2.00	1400	18.50	23
K3	Beta	BV1305	1.250"	1.250R	RH	35	3600	2.00	2.00	1800	16.00	21
K3	Beta	BV1305	Blank	BR	RH	35	3600	2.36	2.36	1525	17.00	22
K3	Beta	BV1305	1"	1R	RH	35	3600	2.47		1457	17.00	21
K3	Beta	BV1305	Blank	BL	LH	35	3600	2.50	2.50	1440	17.00	21
K3	Beta	BV1305	30mm	30R	RH	35	3600	2.64	2.64	1364	17.00	22
K3	Beta	BV1505	1"	1L	LH	37	3000	2.00	2.00	1500	17.00	21
K3	Beta	BV1505	Blank	BR	RH	37	3000	2.04	2.50	1471	17.00	22
K3	Beta	BV1505	1"	1R	RH	38	3600	2.43	2.43	1481	17.00	21
K3	Beta	BV1505	30mm	30L	LH	37	3000	2.70	2.23	1111	18.50	23
K3	Beta	BV1505	1"	1R	RH	38	3600	2.83	2.43	1272	18.50	23
K3	Beta	BV1505	1.250"	1.250R	RH	37	3000	2.99	2.22	1003	18.50	24
K3	Beta	BV1903	30mm	30R	RH	43	2800	2.00	2.00	1400	17.00	23
K3	Beta	BV1903	30mm	30L	LH	43	2800	2.10	2.10	1333	17.00	23
K3	Beta	BV1903	1"	1R	RH	43	2800	2.13	2.13	1315	18.50	22
K3	Beta	BV1903	Spline	120S	LH	43	2800	2.20	2.20	1273	18.50	22
K3	Beta	BV1903	1"	1R	RH	43	2800	2.37	2.37	1181	18.50	23
K4	Beta	BV3800	40mm		RH	82	2600	1.94	1.94	1340	20.50	22
K3	Beta	BZ602	1.250"	1.250R	RH	18	3600	2.61	3.20	1379	15.50	20
K3	Beta	V1505	30mm	30R	RH	34	3000	2.61	2.00	1149	B 17.00	24
K3	Beta	Beta 50	1.125"	1.125R	RH	50	2800	2.00	2.00	1400	18.50	23
K3	Blank	3GM30	Blank	BR	RH	27	3600	2.61	3.02	1379	16.50	22
K3	BMC	BMC	Blank	BR	RH	35	3000	1.79	1.79	1676	16.00	21
K3	BMC	BMC	Spline	Sonic	LH	30	3000	2.00	2.00	1500	B 16.50	21
K3	BMC	BMC	NZ1"	N1R	RH	30	3000	2.13	2.13	1408	16.50	22

K3	BMC	BMC	1.250"	1.250R	RH	30	3000	2.80	2.80	1071	B	17.00	23.5
K3	BMC	Captain	30mm	30R	RH	38	3000	2.00	2.00	1500		16.50	22
K3	BMC	Commodore	1.250"	1.250L	LH	45	3000	2.00		1500		18.00	22
K3	BMC	Thornycroft	1.250"	1.250L	LH	50	3000	2.00		1500		18.50	22
K4	BMW	24 6D A	35mm		RH	86	4000	2.41	2.41	1660		20.50	21
K3	BMW	BMW	25mm	25R	RH	30	3000	2.47	2.47	1215		17.00	22
K3	BMW	BMW	1.125"	1.125R	RH	35	3000	2.50	2.50	1200		17.00	23
K3	BMW	D50-2	30mm	30L	LH	46	3000	1.95	1.86	1538	B	17.00	22
K3	BUKH	DV10ME	1"	1R	RH	10	3000	2.50	2.50	1200		14.50	22
K3	Bukh	DV18ME	1.250"	1.250R	RH	20	3000	2.42		1240		16.75	19
K3	Bukh	DV18ME	1"	1R	RH	18	3600	3.00	3.00	1200		16.00	21
K3	Bukh	DV18SME	Spline	SME	LH	18	3600	2.25	2.25	1600		14.50	20
K3	Bukh	DV20ME	NZ1"	N1R	RH	18	3600	2.25	2.25	1600		16.75	19
K3	Bukh	DV20ME	NZ1"	N1R	RH	20	3000	2.42		1240		16.75	20
K3	Bukh	DV20ME	NZ1"	N1R	RH	20	3000	2.50	2.77	1200		15.50	23
K3	Bukh	DV20SME	Spline	SME	LH	20	3000	2.25	2.25	1333		16.00	21
K3	Bukh	DV24ME	25mm	25R	RH	24	3600	2.47	2.30	1457		16.00	22
K3	Bukh	DV24ME	NZ1"	N1R	RH	24	3600	3.00	2.36	1200		16.00	24
K3	Bukh	DV24SME	Spline	SME	LH	24	3600	2.25	2.25	1600	B	15.50	22
K3	Bukh	DV30ME	Spline	SME	LH	30	3600	2.25		1600		16.75	19
K3	Bukh	DV32ME	1"	1R	RH	32	3600	2.36	3.00	1525		16.00	22
K3	Bukh	DV32SME	Spline	SME	LH	32	3600	2.25	2.25	1600	B	16.50	21
K3	Bukh	DV36ME	Blank	BR	RH	36	3600	2.47	2.36	1457		17.00	23
K3	Bukh	DV36ME	NZ1.250"	N1.250R	RH	36	3600	3.00	2.36	1200	B	18.50	23
K3	Bukh	DV36SME	Spline	SME	LH	36	3600	2.20	2.20	1636		16.50	21
K3	Bukh	DV36SME	Spline	SME	LH	36	3600	2.25	2.25	1600		16.50	22
K3	Bukh	DV48ME	NZ1"	N1R	RH	48	3600	2.23		1614		17.00	21
K3	Bukh	DV48SME	Spline	SME	LH	48	3600	2.25	2.25	1600	B	17.00	22
K3	CM	4.42	Spline	ZF SD10	LH	42	3000	2.16	2.16	1389		18.50	23
K3	Craftsman	CM4.43	25mm	25R	RH	43	3000	2.61	1.95	1149		18.50	22
K4	Craftsman	CM4.80SD	Spline	SD10	LH	80	4000	2.23	2.23	1794		19.50	22

K4	Craftsman	CM4.80SD	Spline	SD10	LH	80	4000	2.49	2.49	1606	20.50	22
K3	Daedong	Daedong	1.250"	1.250L	LH	47	2700	1.95	2.14	1385	B 18.50	23
K3	Daihatsu	Daihatsu	NZ1"	N1R	RH	27	3600	2.37		1519	15.50	22
K4	Deutz	Deutz	35mm		RH	48	2800	2.00	2.20	1400	18.00	21
K3	Display	Display	Spline		LH	30	3600	2.60		1385	17.00	21
K3	Drofin	12/M	3/4"		RH	12	3000	2.30		1304	16.00	20
K3	Drofin	Drofin	1"	1L	LH	15	3000	2.38	2.40	1261	15.00	21
K3	Electric	Electric	1"	1R	RH	12	1200	1.00	1.00	1200	15.50	18
K3	Electric	Electric	1.250"	1.250R	RH	35	2200	2.00	2.00	1100	19.50	22
K3	Electric	Electric	1"	1R	RH	27	3900	3.00	3.00	1300	16.50	22
K3	Electric	Electric - Quiet	1"	1R	RH	13	1200	1.00	1.00	1200	14.50	22
K3	Electric	ME1115	NZ1"	N1R	RH	13	2400	2.00	2.00	1200	15.50	20
K4	Engine	model	35mm		RH	83	3500	2.00	2.00	1750	18.00	22
K3	Farryman	Farryman	1.125"	1.125R	RH	26	2500	2.00	2.00	1250	17.00	22
K3	Fisherboy	Commodore	1.125"	1.125L	LH	52	3000	2.00	2.00	1500	B 18.50	22
K3	Ford	2200	1.250"	1.250L	LH	55	2250	1.50	1.50	1500	B 17.00	23
K3	Ford	2200	1.250"	1.250R	RH	55	2250	1.60	1.60	1406	18.50	23
K4	Ford	2711	1.500"		RH	57	2250	1.96	1.96	1148	B 19.50	22
K3	Ford	2401E			LH	58	3600	2.00	2.00	1800	17.00	22
K4	Ford	2701E	1.250"	Hydraulic	LH	70	2500	2.10	2.10	1190	20.50	22
K3	Ford	Fiesta	Blank	BR	RH	40	2800	3.00	3.00	933	18.50	22
K3	Ford	FORD	Blank	BR	RH	40	2600	1.88	1.96	1383	17.00	23
K3	Ford	FORD	Blank	BR	RH	50	2500	2.00	2.00	1250	B 18.50	23
K3	Ford	FORD	NZ1"	N1R	RH	27	2500	2.14	2.14	1168	17.00	22
K3	Ford	maid Meteor II	25mm	25R	RH	50	3600	2.05	2.05	1756	17.00	22
K3	Ford	SD802	NZ1"	N1R	RH	14	2600	2.00	2.00	1300	B 14.50	22
K3	Ford	SD802	NZ1"	N1R	RH	15	2700	2.14	2.14	1262	14.50	22
K3	Ford	SD802	NZ1"	N1R	RH	15	2700	2.21	2.21	1222	14.50	22
K3	Ford	SD892	NZ1"	N1R	RH	25	2500	2.00	2.00	1250	16.50	22
K3	Ford	SD892	1"	1R	RH	25	2700	2.14	2.14	1262	B 16.50	22
K3	Ford	Shibaura	NZ1"	N1R	RH	25	2700	1.79	1.86	1508	15.50	21

K3	Ford	W'Mota	Blank	BR	RH	58	4800	2.53	1.80	1897	17.00	22	
K3	Ford	XLD	NZ1.250"	N1.250L	LH	50	3300	2.00		1650	18.50	22	
K3	Ford	XLD 418	NZ1.250"	N1.250L	LH	50	3600	2.57	2.57	1401	18.50	22	
K3	Ford	XLD 418	1.250"	1.250R	RH	45	4500	2.70	2.70	1667	18.50	23	
K3	Ford	XLD MP	1.250"	1.250L	LH	45	3000	2.00	2.00	1500	B	17.00	21
K3	Ford	XLDMP	1.250"	1.250R	RH	57	4800	2.00	2.00	2400		16.00	20
K3	Ford	XLDMP	1.250"	1.250R	RH	50	3400	2.50		1360		18.50	22
K3	Ford	XLT	Spline	120S	LH	50	3600	2.47	2.47	1457	B	18.50	22
K3	Ford	Dexta	1.125"	1.125R	RH	35	2250	2.00	2.00	1125	B	17.00	25
K4	Gardner	2LW	1.500"		LH	28	1300	1.50	1.50	867	B	19.50	21
K3	Gray	2xBlade	1"	1R	RH	30	2500	1.00		2500		16.25	18
K3	Honda	Civic	1"	1L	LH	30	3600	2.32	2.32	1552		16.00	21
K3	Hydraulic	4 to 1	1.250"	1.250L	LH	45		4.00		800		18.50	24
K4	Hyundai	Hydraulic	1.500"		RH	40	2500	2.50	2.50	1000		18.00	22
K3	Indenoor	Peugot	30mm	30R	RH	48	2850	2.84	2.84	1004		19.50	24
K3	ISO 25	3GM30	25mm	25R	RH	27	3600	2.21	3.20	1629		15.50	22
K3	Isuzu	2AB1	NZ1"	N1R	RH	25	2000	2.14		935	B	18.50	22
K3	Isuzu	3AB1	NZ1.250"	N1.250R	RH	38	2800	1.96	1.96	1429		17.00	23
K3	Isuzu	3KC1	1"	1R	RH	23	3000	2.13	2.13	1408		16.00	21
K4	Isuzu	4LEI	1.250"		RH	48	2800	2.00	3.00	1400		18.00	22
K3	ISUZU	C201	Spline	Volvo	LH	27	2200	1.59	1.59	1384		17.00	21
K3	Isuzu	C240	1.250"	1.250R	RH	55	3000	1.88	2.10	1596	B	17.00	23
K3	Isuzu	C240	1"	1L	LH	55	3000	2.00	1.98	1500		18.50	23
K3	Isuzu	Isuzu	1.125"	1.125R	RH	27	2800	1.90	1.90	1474		16.00	22
K3	Isuzu	Isuzu	1.250"	1.250R	RH	35	3000	2.00	2.00	1500		17.00	21
K3	Isuzu	Isuzu	NZ1.250"	N1.250R	RH	35	2800	2.01		1393		17.00	21
K3	Isuzu	Isuzu	NZ1"	N1L	LH	50	3400	2.10		1619	B	18.50	22
K3	Isuzu	Isuzu	1.250"	1.250R	RH	50	3000	2.57		1167		18.00	23
K3	Isuzu	Isuzu	1"	1R	RH	40	2800	2.63	2.63	1065		18.50	23
K3	ISUZU	Volvo	Spline	110S	RH	23	2500			1480		15.50	22
K3	Isuzu	xx	NZ1"	N1R	RH	37	4500	2.00		2250		15.50	21

K3	IVECO	4031 H30	30mm	30L	LH	30	3600	2.61	3.20	1379	17.00	22
K3	IVECO	4031M30	25mm	25R	RH	30	3200	2.60	2.72	1231	16.50	22
K3	Kubota	3CO93	1"	1R	RH	22	3000	2.47	2.36	1215	16.50	22
K3	Kubota	3K26	Spline	S110	RH	26	2400	1.66	1.66	1457	16.00	22
K3	Kubota	D1005	25mm	25R	RH	25	3000	2.00	2.00	1500	16.00	20
K3	Kubota	D850B	30mm	30L	LH	20	3000	1.86	2.72	1613	15.50	20
K3	Kubota	D950	NZ1"	N1R	RH	20	3000	1.79	1.86	1676	14.50	22
K3	Kubota	D950B	1"	1R	RH	20	3000	2.21	3.06	1357	15.50	21
K3	Kubota	Jaedong-927 cc	NZ1"	N1R	RH	19	2800	2.14	2.50	1308	B 14.50	23
K3	Kubota	KU20	NZ1"	N1R	RH	20	3000	2.00	3.00	1500	15.75	20
K3	Kubota	Kubota	1"	1R	RH	27	2800	1.86		1505	B 16.00	22
K4	Kubota	Kubota	1.500"		RH	68	3600	2.00	2.00	1800	18.00	22
K3	Kubota	Kubota	1"	1L	LH	15	2800	2.13	2.13	1315	14.50	22
K3	Kubota	Kubota	1"	1L	LH	18	2800	2.15	2.60	1302	16.00	21
K3	Kubota	Kubota	NZ1"	N1R	RH	15	3600	2.21	3.12	1629	14.50	21
K3	Kubota	Kubota	NZ1"	N1L	LH	20	3600	2.47	2.47	1457	15.50	20
K3	Kubota	Kubota	NZ1"	N1R	RH	28	3000	2.60		1154	B 17.00	22
K3	Kubota	Kubota	1"	1R	RH	28	3600	2.61	3.20	1379	B 14.50	23
K3	Kubota	Kubota	1.125"	1.125R	RH	21	2800	2.62		1069	B 16.50	22
K3	Kubota	Kubota	NZ1"	N1R	RH	28	3600	2.70		1333	16.50	22
K3	Kubota	Kubota	1.125"	1.125R	RH	28	3600	2.72		1324	16.50	22
K3	Kubota	Kubota	1.250"	1.250R	RH	28	3000	2.90	2.90	1034	18.50	23
K3	Kubota	M50	1"	1R	RH	43	2800	1.79	1.86	1564	17.00	22
K3	Kubota	M50	1"	1R	RH	44	3000	1.90	1.90	1579	17.00	22
K3	Kubota	NANNI	30mm	30R	RH	50	2800	2.74		1022	B 18.50	21
K3	Kubota	S/Drive	Spline		LH	33	2800	1.66		1687	16.00	24
K3	Kubota	SD	30mm	30R	RH	60	3000	2.00	2.00	1500	19.50	21
K3	Kubota	V-1200B	NZ1"	N1R	RH	30	3000	2.00	2.00	1500	16.00	21
K3	Kubota	V1100	1"	1R	RH	21	3000	2.72	2.15	1103	16.50	22
K3	Kubota	V1505	NZ1"	N1R	RH	30	3000	2.00	2.00	1500	16.50	21
K3	Kubota	V1505	1"	1L	LH	33	3000	2.13	2.22	1408	16.50	22

K3	Kubota	V1505	1"	1R	RH	33	3000	2.94	2.50	1020	B	18.50	23
K3	Kubota	V1505-B	1"	1R	RH	37	3000	1.79	1.86	1676		16.00	22
K3	Kubota	V1505-B	1.250"	1.250R	RH	37	3000	2.00	2.00	1500		17.00	20
K3	Kubota	V1505D	25mm	25L	LH	37	3000	2.00	2.00	1500	B	17.00	22
K3	Kubota	V800-B	1.250"	1.250R	RH	20	3600	2.72	2.15	1324	X	16.00	21
K3	Kubota	D1105	1"	1R	RH	28	3000	2.04	2.04	1471		16.50	21
K3	Kubota	KT24	NZ1"	N1R	RH	24	3600	2.21	3.20	1629		15.50	20
K3	Lister	LPW 3	30mm	30R	RH	30	3000	2.14	1.95	1402		16.50	22
K3	Lister	LPWS 4	NZ1"	N1L	LH	30	3000	1.95	2.45	1538		16.00	22
K3	Lister	LPWS 4	NZ1"	N1R	RH	30	3000	2.00	2.00	1500		17.00	22
K3	Lister	LPWS 4	35mm		RH	32	3000	2.09		1435		16.75	20
K3	Lister	LPWS 4	NZ1"	N1L	LH	30	3000	2.45	1.95	1224		17.00	22
K3	Lister	LQW2	1"	1R	RH	23	3300	2.00		1650		15.75	18
K3	Lister	Petter	NZ1"	N1R	RH	30	2850	2.00	2.00	1425		16.50	22
K3	Lister	Alpha	1.250"	1.250R	RH	45	3000	2.00	2.00	1500		17.00	22
K3	Lom'dini	LDW1003M	Spline		LH	28	3600	2.18	2.18	1651	B	15.50	19
K3	Lom'dini	LDW1003M	25mm	25R	RH	30	3600	2.60	2.13	1385		16.00	21
K3	Lom'dini	LDW1204M	Blank	BR	RH	33	3000	2.00	2.00	1500		16.50	21
K3	Lom'dini	LDW1204M	25mm	25R	RH	33	3000	2.62	2.00	1145		16.50	22
K3	Lom'dini	LDW1404M	30mm	30R	RH	39	3600	2.00	2.00	1800		16.00	21
K3	Lom'dini	LDW1404M	Spline		LH	36	3600	2.18	2.18	1651		16.00	20
K3	Lom'dini	LDW1404M	NZ1"	N1R	RH	38	3600	2.50		1440		17.00	22
K3	Lom'dini	LDW1603M	Spline	SD	LH	37	3000	1.92	1.92	1563		16.50	22
K3	Lom'dini	LDW2004M	Spline		LH	45	3000	1.92	1.92	1563	B	17.00	22
K3	Lom'dini	LDW2204M	NZ1.250"	N1.250L	LH	60	3600	2.14	2.14	1682		19.50	22
K3	Lom'dini	LDW502M	Spline	SD	LH	13	3600	2.18	2.18	1651	B	14.00	20
K3	Lom'dini	LDW702M	Spline	SD	LH	18	3600	2.18	2.18	1651		14.50	21
K3	Lom'dini	LDW702M	NZ1"	N1R	RH	18	3600	2.60	2.13	1385	B	15.50	21
K3	Lom'dini	LDW903M	Spline		LH	24	3600	2.18	2.18	1651		15.50	19
K3	Lom'dini	LDW903M	25mm	25R	RH	27	3600	2.60	2.13	1385		16.50	21
K3	Lom'dini	xx	1.125"	1.125R	RH	39	3600	2.60		1385		17.00	22

K3	Mazda	Mazda	1.250"	1.250R	RH	58	2800	1.88	2.10	1489	18.50	23
K3	Mercedes	642	Blank	BR	RH	42	3000	2.22	2.22	1351	17.00	22
K3	Mercedes	Merc	30mm	30R	RH	55	5000	2.00	2.00	2500	16.50	21
K4	Mercedes	OM	30mm		RH	65	4200	2.43	2.43	1728	B 17.50	20
K3	Mercedes	OM615	30mm	30R	RH	48	3600	1.90	1.90	1895	16.00	20
K3	Mercedes	OM616	30mm	30R	RH	65	4200	1.88	1.95	2234	17.00	22
K3	Mercedes	OM616	25mm	25R	RH	50	3000	2.10	2.10	1429	18.50	23
K4	Mercedes	OM616	35mm		RH	67	3300	2.74	2.74	1204	B 20.50	21
K3	Mercedes	OM636	1"	1R	RH	40	3100	1.91	2.00	1623	16.50	22
K3	Mercedes	OM636	30mm	30R	RH	40	3000	2.00	2.00	1500	17.00	21
K3	Mitsubishi	42	Spline	110S	LH	42	3000	1.66	1.66	1461	16.00	21
K3	Mitsubishi	M'sbushi	Blank	BL	LH	14	3200	2.50		1280	15.50	20
K3	Mitsubishi	MD1300	25mm	25R	RH	18	3500	2.25	2.25	1556	15.50	21
K3	Mitsubishi	Mitsubishi	1"	1R	RH	20	3000	2.75		1091	16.50	21
K3	Mitsubishi	S4L	25mm	25R	RH	33	3000	2.00	2.00	1500	16.50	23
K3	Nanni	3.75	25mm	25L	LH	15	3000	2.00	2.00	1500	15.50	17
K3	Nanni	3.90	NZ1"	N1R	RH	19	3000	1.79	1.86	1676	B 15.50	18
K3	Nanni	3.90	1"	1R	RH	21	3000	2.00	2.00	1500	15.50	20
K3	Nanni	3.90	1"	1R	RH	19	3000	2.05	1.90	1463	15.50	19
K3	Nanni	4.110	Spline		LH	30	3600	2.40		1500	16.25	22
K4	Nanni	4.220	35mm		RH	50	2800	2.66	2.66	1053	19.50	22
K3	Nanni	2.4HE	NZ1"	N1R	RH	14	3000	2.72	1.83	1103	X 15.50	20
K3	Nanni	2.50HE	NZ1"	N1R	RH	14	3600	2.13	2.62	1690	15.50	20
K3	Nanni	2.50HE	Blank	BR	RH	14	3600	2.62	2.13	1374	15.50	20
K3	Nanni	3.100	Blank	BR	RH	29	3600	2.00	2.00	1800	15.50	21
K3	Nanni	3.100	Blank	BR	RH	29	3500	2.31	2.31	1515	16.50	21
K3	Nanni	3.100	1.250"	1.250R	RH	29	3600	2.60	3.20	1385	B 16.50	21
K3	Nanni	3.100HE	Spline	SELVA	RH	29	3600	2.20	2.20	1636	15.50	22
K3	Nanni	3.100HE	Spline	ZF SD10	LH	29	3600	2.49	2.49	1446	16.50	22
K3	Nanni	3.100HE	25mm	25R	RH	29	3600	2.60		1385	16.50	21
K3	Nanni	3.100SD	Spline	130S	RH	29	3600	2.43	2.43	1481	16.00	22

K3	Nanni	3.100SD	Spline	130S	RH	29	3600	2.52	2.52	1429	B	16.00	21
K3	Nanni	3.110HE	25mm	25R	RH	27	3000	2.72	2.15	1103		17.00	24
K3	Nanni	3.110SD	Spline	130S	RH	29	3000	2.20	2.20	1364		16.50	21
K3	Nanni	3.75 / HE	25mm	25R	RH	21	3600	2.05	1.86	1756		14.50	22
K3	Nanni	3.75HE	NZ1"	N1R	RH	21	3600	2.52	2.13	1429		15.50	22
K3	Nanni	3.75HE	NZ1"	N1R	RH	21	3600	2.60	2.13	1385		15.50	22
K3	Nanni	3.75HE	Blank	BR	RH	21	3600	3.00	3.00	1200		16.50	21
K3	Nanni	3.75HESD	Spline	Selva	LH	22	3600	2.20	2.20	1636		14.50	22
K3	Nanni	3.75HESD	Spline	ZF SD10	LH	21	3600	2.49	2.49	1446		15.50	22
K3	Nanni	3.75HESD	Spline	ZF SD10	LH	21	3600	2.52	2.52	1429		15.50	22
K3	Nanni	3.90HE	NZ1"	N1R	RH	22.5	3600	2.72	1.86	1324		15.50	21
K3	Nanni	4.100HE	NZ1"	N1R	RH	30	3600	2.73	1.86	1319		17.00	22
K3	Nanni	4.150HE	25mm	25R	RH	37.5	3000	1.79	1.86	1676		16.50	21
K3	Nanni	4.150HE	1"	1R	RH	37.5	3000	1.88		1596		17.00	21
K3	Nanni	4.150HE	30mm	30R	RH	37.5	3000	2.00	2.00	1500		17.00	21
K3	Nanni	4.150HE	NZ1.250"	N1.250R	RH	37.5	3000	2.13	2.22	1408		17.00	23
K3	Nanni	4.150HE	Spline	T' SP60	LH	37.5	3000	2.15	2.15	1395		17.00	24
K3	Nanni	4.150HE	Spline		LH	37.5	3000	2.16	2.16	1389		17.00	22
K3	Nanni	4.150HE	Spline	130S	LH	37.5	2800	2.20	2.20	1273		17.00	23
K3	Nanni	4.150HE	1.125"	1.125R	RH	37.5	3000	2.50	2.50	1200		18.50	23
K3	Nanni	4.150HE	1.250"	1.250R	RH	37.5	3000	2.60	2.60	1154		18.50	23
K3	Nanni	4.150HE	1.250"	1.250L	LH	38	3600	2.63	1.95	1369		17.00	21
K3	Nanni	4.190HE	NZ1"	N1R	RH	43	2800	1.79	1.86	1564		17.00	22
K3	Nanni	4.190HE	Blank	BR	RH	43	2800	1.80	1.80	1556	B	17.00	22
K3	Nanni	4.190HE	1"	1R	RH	50	2800	1.88		1489	B	17.00	22
K3	Nanni	4.190HE	1.250"	1.250R	RH	50	2800	2.14		1308		18.50	23
K3	Nanni	4.190HE	1"	1R	RH	50	2800	2.40		1167	B	18.50	22
K3	Nanni	4.190HE	1.250"	1.250R	RH	43	2800	2.63		1065		18.50	23
K3	Nanni	4.195HE	Blank	BR	RH	40	2800	2.00	2.00	1400		17.00	23
K3	Nanni	4.195HE	30mm	30R	RH	40	2800	2.13	2.22	1315		18.50	22
K3	Nanni	4.220HE	1.125"	1.125R	RH	50	2800	2.00	2.00	1400	B	18.50	24

K3	Nanni	4.220HE	1.250"	1.250R	RH	50	2800	2.14	1.95	1308	19.50	22
K3	Nanni	4.220HE	Spline	130S	LH	49	2800	2.20	2.20	1273	18.50	23
K4	Nanni	5.280HE	1.500"		LH	62	2800	2.00	2.00	1400	B 19.50	22
K3	Nanni	Farryman	NZ1"	N1R	RH	29	2400	2.00		1200	18.50	23.5
K3	Nanni	N2.10	Spline	T' SP60	LH	10	3000	2.38	2.38	1261	14.50	22
K3	Nanni	N2.14	Spline	120S	LH	14	3600	2.52	2.52	1429	15.50	19
K3	Nanni	N2.14	Spline	ZF SD10	LH	14	3600	2.53	2.53	1423	14.50	22
K3	Nanni	N2.14	NZ1"	N1R	RH	14	3600	2.62	2.13	1374	15.50	19
K3	Nanni	N3.21	NZ1"	N1R	RH	21	3600	2.00	2.00	1800	14.00	17
K3	Nanni	N3.21	25mm	25R	RH	21	3600	2.61	2.13	1379	15.50	22
K3	Nanni	N3.21SD	Spline	120S	LH	21	3600	2.47	2.47	1457	15.50	23
K3	Nanni	N3.30	25mm	25R	RH	29	3600	2.00	2.00	1800	15.50	21
K3	Nanni	N3.30	NZ1"	N1R	RH	29	3600	2.33		1545	16.00	21
K3	Nanni	N3.30	NZ1"	N1R	RH	29	3600	2.60	3.00	1385	16.50	22
K3	Nanni	N3.30	30mm	30R	RH	29	3600	2.61	2.13	1379	16.50	22
K3	Nanni	N3.30SD	Spline	ZF SD10	LH	29	3600	2.52	2.52	1429	16.50	22
K4	Nanni	N4.240	1.500"	Hyd	RH	72	3600	2.74	2.74	1314	20.50	23
K3	Nanni	N4.38	1"	1R	RH	38	3000	2.00	2.00	1500	17.00	21
K3	Nanni	N4.38	1.250"	1.250R	RH	38	3000	2.60	2.60	1154	18.50	23
K3	Nanni	N4.38SD	Spline	T' SP60	LH	38	3000	2.15	2.15	1395	17.00	23
K3	Nanni	N4.38SD	Spline	SD10	LH	38	3000	2.16	2.16	1389	17.00	23
K3	Nanni	N4.38SD	30mm	30R	RH	38	3000	2.47	2.47	1215	17.00	23
K4	Nanni	N4.50	30mm	30R	RH	50	3000	2.33	3.04	1288	18.00	22
K3	Nanni	N4.50SD	Spline	SD10	LH	50	3000	2.16	2.16	1389	18.50	23
K4	Nanni	N4.60	35mm		RH	60	2800	2.00	2.00	1400	18.00	22
K4	Nanni	N4.60SD	Spline		LH	60	2800	2.15	2.15	1302	18.00	23
K3	Nanni	Nanni	Spline		RH	31	3100	2.10	2.20	1476	16.50	21
K3	Nanni	NANNI	S-Spline	7/8" x 13T	RH	21	3600	2.20	2.20	1636	16.00	18
K3	Nanni	Stock	Spline	T' SP60	LH	21	3600	2.38	2.38	1513	15.50	21
K3	Nissan	Nissan	1.250"	1.250R	RH	47	2400	1.88	1.88	1277	18.50	23
K3	Nissan	Nissan ?	NZ1.250"	N1.250R	RH	60	2200	1.50	1.50	1500	19.50	23

K3	Nissan	SD22	1.250"	1.250R	RH	50	3200	1.88	1.95	1702	17.00	21	
K3	Palmer	Atomic 4	1"	1R	RH	27	3200	2.00		1600	B	17.00	21
K3	Perkins	4.104	1"	1L	LH	50	3000	2.10	2.10	1429		18.50	23
K3	Perkins	4.107	1"	1L	LH	52	4000	1.50		2667		16.50	20
K3	Perkins	4.107	1"	1L	LH	34	3000	1.67	1.67	1796		16.00	21
K3	Perkins	4.107	1"	1R	RH	38	3000	1.90	1.90	1579	B	16.75	21
K3	Perkins	4.107	1.250"	1.250L	LH	45	3600	2.00	2.83	1800		17.00	22
K3	Perkins	4.107	Special1/4"		LH	36	3600	2.20		1636		16.50	22
K3	Perkins	4.107	1.250"	1.250L	LH	40	3000	2.50	2.50	1200		18.50	22
K3	Perkins	4.108	1.250"	1.250R	RH	45	3600	1.79	1.86	2011	B	16.50	21
K3	Perkins	4.108	1.250"	1.250R	RH	45	3000	1.88	1.95	1596		17.00	22
K3	Perkins	4.108	1.250"	1.250R	RH	45	3600	1.91	1.91	1885		17.00	21
K3	Perkins	4.108	1.250"	1.250R	RH	45	3600	1.98	1.98	1818		16.50	22
K3	Perkins	4.108	1.250"	1.250R	RH	45	3000	1.99		1508		17.00	21
K3	Perkins	4.108	1.250"	1.250R	RH	40	3000	2.00	2.00	1500		17.00	22
K3	Perkins	4.108	30mm	30R	RH	40	3200	2.08	2.08	1538		17.00	22
K3	Perkins	4.108	1"	1L	LH	35	3000	2.10	2.10	1429		17.00	21
K3	Perkins	4.108			RH	48	3600	2.13	2.25	1690		16.50	22
K3	Perkins	4.108	30mm	30R	RH	40	3200	2.14	2.14	1495		17.00	22
K3	Perkins	4.108	30mm	30R	RH	45	3600	2.16	2.25	1667		17.00	22
K3	Perkins	4.108	1.250"	1.250R	RH	45	3000	2.22	2.13	1351		17.00	22
K3	Perkins	4.108	Spline		LH	45	3600	2.25	2.25	1600		17.00	22
K3	Perkins	4.108	1.125"	1.125R	RH	45	3600	2.50	2.50	1440		18.50	22
K3	Perkins	4.108	Blank	BR	RH	51	4000	2.53	2.53	1581		17.00	22
K3	Perkins	4.108	1.250"	1.250L	LH	40	3200	2.57	2.57	1245		18.50	23
K3	Perkins	4.108	1.250"	1.250R	RH	45	3600	2.60	2.60	1385		16.00	21
K3	Perkins	4.108	1.250"	1.250R	RH	45	3600	2.63	1.95	1369	B	18.50	22
K3	Perkins	4.108	1.250"	1.250R	RH	45	3600	2.70	2.70	1333		18.50	23
K3	Perkins	4.108	1"	1L	LH	40	3000	2.71	2.71	1107		18.50	23
K4	Perkins	4.108	30mm	30R	RH	40	3000	2.74	2.72	1095		18.00	22
K3	Perkins	4.108	1.250"	1.250R	RH	45	3600	2.83	1.95	1272		18.50	23

K3	Perkins	4.108	1.250"	1.250L	LH	50	4000	2.91	2.00	1375	18.50	23
K3	Perkins	4.108	30mm	30R	RH	45	3600	3.00	3.00	1200	18.50	23
K3	Perkins	4.154	1.250"	1.250R	RH	62	3000	2.13	2.20	1408	18.50	24
K3	Perkins	4.154	1.250"	1.250R	RH	62	3000	2.74	2.74	1095	19.50	23
K4	Perkins	4.236	35mm		RH	78	2600	2.00	2.00	1300	20.50	21
K4	Perkins	4.236	35mm		RH	80	2600	2.13	2.10	1221	B 20.50	21
K4	Perkins	4.236	1.250"		LH	87	2500	2.57	2.57	973	20.50	23
K3	Perkins	4.534	30mm	30R	RH	60	3000	2.14	1.96	1402	18.50	24
K3	Perkins	5154	1.250"	1.250L	LH	54	3000	2.57	2.57	1167	18.50	24
K3	Perkins	4 CYL	NZ1"	N1R	RH	30	2400	2.00		1200	B 18.50	23
K3	Perkins	M20	25mm	25R	RH	20	3600	2.72			16.00	19
K3	Perkins	M20	1"	1R	RH	18	3600	2.96	3.72	1216	16.50	20
K3	Perkins	M25	30mm	30R	RH	25	3000	2.00	2.00	1500	16.00	21
K3	Perkins	M25	1.250"	1.250R	RH	25	3600	2.60		1385	16.50	21
K3	Perkins	M30	1"	1R	RH	29	3600	2.00	2.00	1800	15.00	21
K3	Perkins	M30	NZ1"	N1R	RH	29	3600	2.04	2.00	1765	15.50	19
K3	Perkins	M30	1"	1R	RH	29	3600	2.05	2.00	1756	14.50	22
K3	Perkins	M30	25mm	25R	RH	30	3600	2.53	2.15	1423	B 16.50	21
K3	Perkins	M30	25mm	25R	RH	30	3600	2.71	2.14	1328	17.00	21
K3	Perkins	M35	1"	1R	RH	35	2800	1.79	1.86	1564	B 16.50	22
K3	Perkins	M35	Blank	BR	RH	35	2800	2.00	2.00	1400	17.00	21
K3	Perkins	M35	30mm	30R	RH	35	2800	2.50	2.50	1120	18.50	23
K3	Perkins	M50	30mm	30R	RH	50	3000	1.78	1.78	1685	18.50	23
K3	Perkins	M50	1.250"	1.250R	RH	50	3000	1.88	1.95	1596	17.00	22
K4	Perkins	M50	1.250"		RH	50	3000	1.91	1.91	1571	17.00	20
K3	Perkins	M50	NZ1.250"	N1.250L	LH	50	3000	2.00	2.00	1500	18.50	23
K3	Perkins	M50	30mm	30R	RH	50	3000	2.10	2.10	1429	18.50	23
K3	Perkins	M50	30mm	30R	RH	50	3500	2.13	2.13	1643	17.00	22
K3	Perkins	M50	30mm	30R	RH	50	3000	2.14	1.94	1402	18.50	22
K3	Perkins	M50	1.250"	1.250R	RH	55	3000	2.50	2.50	1200	16.50	22
K3	Perkins	M50	30mm	30R	RH	50	3000	2.10		1429	18.50	22

K3	Perkins	M60	NZ1.250"	N1.250R	RH	59	4000	2.00	2.00	2000		17.00	22
K3	Perkins	M60	30mm	30R	RH	60	4000	2.74	2.72	1460		19.50	22
K4	Perkins	M60	1.250"		RH	60	4000	3.00	3.00	1333	B	19.50	23
K4	Perkins	M60	35mm		RH	60	4000	3.05	3.14	1311		18.00	22
K4	Perkins	M80T	30mm		RH	80	3000	2.10	2.10	1429		19.50	23
K4	Perkins	M90	1.500"		LH	82	2800	2.05	2.05	1366	B	19.50	23
K3	Perkins	Perama	Blank	BR	RH	27	3500	1.79	1.86	1955		16.50	22
K3	Perkins	Perkins	30mm	30R	RH	42	2800	2.00	2.00	1400	B	17.00	23
K3	Perkins	Perkins	1.125"	1.125R	RH	60	2800	2.14	2.14	1308		18.50	22
K3	Perkins	Phirana	Blank	BR	RH	29	3600	2.05	1.86	1756	B	15.50	21
K3	Perkins	4.108	30mm	30R	RH	40	3200	1.88	1.91	1702		17.00	22
K3	Perkins	4.108	30mm	30R	RH	40	3200	1.91	1.96	1675		17.00	23
K4	Perkins	M50	35mm		RH	50	3000	2.72	2.22	1103		19.50	22
K3	Perkins	M50	NZ1.250"	N1.250R	RH	50	3000	2.80	2.80	1071		18.50	22
K3	Peugot	505	30mm	30L	LH	60	3000	2.10	2.10	1429		18.50	23
K3	Ruggerini	351	30mm	30L	LH	43	3600	2.00	2.00	1800		16.50	22
K3	Ruggerini	TBA	25mm	25R	RH	18	3600	2.61	3.20	1379		15.50	21
K3	Saab	Beta 30	1.125"	1.125L	RH	30	3600	2.61	2.13	1379		16.50	22
K3	Saab	Stratus 42	30mm	30R	RH	42	2600	2.00	2.00	1300		18.50	23
K3	Sole	Mini 13	NZ1"	N1R	RH	13	3000	1.90		1579		15.50	18
K3	Sole	Mini 14	NZ1"	N1R	RH	14	3000	1.90	1.90	1579		14.50	21
K3	Sole	Mini 17	25mm	25R	RH	16	3600	2.00	2.13	1800		14.00	20
K3	Sole	Mini 17	NZ1"	N1R	RH	16	3600	2.28	3.05	1579		14.50	21
K3	Sole	Mini 23	NZ1"	N1R	RH	23	3000	2.00	2.00	1500		15.50	22
K3	Sole	Mini 26	1"	iL	LH	25	3600	2.25	2.25	1600		14.50	23
K3	Sole	Mini 26	25mm	25R	RH	26	3600	2.50	2.50	1440		16.00	21
K3	Sole	Mini 27	Spline	130S	LH	27	3600	2.20	2.20	1636		16.00	20
K3	Sole	Mini 27	Spline	120S	LH	27	3600	2.47	2.47	1457		16.00	20
K3	Sole	Mini 31	1.250"	1.250R	RH	30	3000	1.91	1.91	1571		16.00	22
K3	Sole	Mini 31	NZ1"	N1R	RH	31	3000	2.00	2.00	1500		16.50	22
K3	Sole	Mini 31	25mm	25R	RH	31	3000	2.25	2.25	1333		16.50	22

K3	Sole	Mini 31	1"	1R	RH	31	3000	3.00	3.00	1000	18.50	23
K3	Sole	Mini 34	NZ1"	N1R	RH	34	3000	1.87	1.87	1604	16.00	21
K3	Sole	Mini 34	NZ1"	N1R	RH	31	3000	2.00	2.00	1500	16.50	21
K3	Sole	Mini 34	NZ1"	N1R	RH	34	3200	2.20	2.20	1455	17.00	21
K3	Sole	Mini 36	1"	1R	RH	36	3600	2.00	2.00	1800	15.50	21
K3	Sole	Mini 44	Spline	110S	LH	44	3000	1.66	1.66	1807	16.50	21
K3	Sole	Mini 44	NZ1.250"	N1.250R	RH	42	3000	2.00	2.00	1500	17.00	21
K3	Sole	Mini 48	30mm	30R	RH	48	3000	2.50	2.50	1200	18.50	22
K3	Sole	Mini 55	30mm	30R	RH	52	3000	2.33	2.33	1288	18.50	23
K3	Sole	XYZ	NZ1.250"	N1.250R	RH	20	3000	2.10	2.10	1429	15.50	22
K3	Sole	Mini 14	NZ1"	N1R	RH	13	3000	1.90		1579	B 15.50	18
K3	Sole	Mini 34	Spline	110S	LH	31	3000	1.66	1.66	1807	15.50	21
K3	Thny'roft	T-Croft	NZ1.250"	N1.250L	LH	36	3000	2.00	2.00	1500	17.00	21
K3	Thny'roft	T108	Blank	BR	RH	47	3500	1.79	1.86	1955	17.00	22
K3	Thny'roft	T108	Blank	BR	RH	47	3500	1.81	1.81	1934	17.00	22
K3	Thny'roft	T110	1.250"	1.250R	RH	35	3500	1.96		1786	16.00	20
K3	Thny'roft	T80	25mm	25R	RH	30	3000	1.79	1.86	1676	16.00	20
K3	Thny'roft	T80	30mm	30R	RH	30	3000	2.20	1.95	1364	16.50	21
K3	Thny'roft	T90	Blank	25R	RH	30	3000	1.79	1.86	1676	15.50	22
K3	Thny'roft	T90	Blank	BR	RH	30	3000	1.81	1.81	1657	16.00	21
K3	Thny'roft	T90	Blank	BR	RH	35	3000	1.96	1.96	1531	16.50	22
K3	Thny'roft	T90	Blank	BR	RH	35	3000	2.00	2.00	1500	16.50	21
K3	Thny'roft	T98	Blank	BR	RH	50	3000	1.79	1.86	1676	17.00	21
K3	Thny'roft	T98	Blank	BR	RH	50	3000	2.00	2.00	1500	17.00	21
K3	Thoosa	9000	1"	1L	LH	12	1150	1.00	1.00	1150	14.50	22
K4	Thornycroft	MD22	35mm		RH	49	3000	2.74	2.74	1095	19.50	22
K3	Thornycroft	T90	25mm	25R	RH	35	3000	1.79	1.86	1676	16.50	21
K4	Thornycroft	T98	1.250"		LH	56	3000	2.03	2.03	1478	18.00	20
K3	Toyota	Unique	1.250"	1.250R	RH	40	3000	2.00		1500	16.00	22
K3	Universal	3240	1.250"	1.250R	RH	32	2800	2.10		1333	16.75	21
K3	Universal	5432	1.250"	1.250R	RH	32	2800	1.79	1.86	1564	16.50	21

K3	Universal	5432	1"	1R	RH	32	2800	1.88	1.96	1489	16.50	22
K3	Universal	5432	1"	1R	RH	32	2800	2.00	2.00	1400	16.50	22
K3	Universal	5432	1.125"	1.125R	RH	32	2800	2.14		1308	17.00	21
K3	Universal	5432	1"	1R	RH	32	2800	3.00		933	18.50	23
K3	Universal	5444	NZ1.250"	N1.250R	RH	44	3000	2.00	2.00	1500	17.00	22
K3	Universal	Atomic 4	1"	1R	RH	25	2500	2.00	2.00	1250	17.00	22
K3	Universal	M20B	1"	1R	RH	16	2800	2.00	2.00	1400	15.75	20
K3	Universal	M25	1"	1R	RH	21	3200	2.00	2.00	1600	14.50	22
K3	Universal	M25	1"	1R	RH	25	3200	2.60	2.60	1231	15.50	20
K3	Universal	M25XP	1"	1R	RH	23	3200	2.00	2.00	1600	15.50	21
K3	Universal	M25XP	1"	1R	RH	23	3200	2.05	2.05	1561	15.50	19
K3	Universal	M25XP	1"	1R	RH	23	3200	2.72	2.15	1176	17.00	19
K3	Universal	M25XPB	1"	1R	RH	25	3000	1.86	2.00	1613	15.50	20
K3	Universal	M25XPB	1"	1R	RH	25	3000	2.00	2.00	1613	15.50	19
K3	Universal	M25XPB	1"	1R	RH	26	3000	2.05	1.86	1463	B 15.50	20
K3	Universal	M3-20B	1"	1R	RH	20	3600	2.05	2.05	1600	X 14.50	21
K3	Universal	M30	1"	1R	RH	30	3200	1.86	1.86	1720	B 16.00	22
K3	Universal	M35	1"	1R	RH	30	3200	1.79	1.79	1788	15.50	21
K3	Universal	M35	1"	1R	RH	30	3100	1.90	1.90	1632	16.00	21
K3	Universal	M35	1"	1R	RH	30	3000	2.00	2.00	1500	16.00	21
K3	Universal	M35A	1"	1R	RH	30	3000	1.79	1.79	1676	15.50	21
K3	Universal	M35B	1"	1R	RH	35	3000	1.79	1.79	1676	16.00	20
K3	Universal	M35B	1"	1R	RH	35	3000	1.88	1.95	1596	16.00	21
K3	Universal	M35B	1.250"	1.250R	RH	35	3200	2.00	2.00	1600	16.00	21
K3	Universal	M35B	1"	1R	RH	35	3000	2.05	1.86	1463	16.50	22
K3	Universal	M40	1.125"	1.125R	RH	32	2800	1.80	1.80	1556	B 16.50	21
K3	Universal	M40	1"	1R	RH	35	3300	1.90		1737	B 16.00	20
K3	Universal	M40	1"	1R	RH	32	2800	2.00	2.00	1400	16.50	22
K3	Universal	M40	1.250"	1.250R	RH	32	2800	2.14		1308	17.00	21
K3	Universal	M40B	1.125"	1.125R	RH	37	3000	1.88	1.88	1596	17.00	21
K3	Universal	M40B	1.250"	1.250R	RH	37	3000	1.95	1.88	1538	B 17.00	21

K3	Universal	M40B	1.125"	1.125R	RH	37	3000	2.63		1141	18.50	23
K3	Universal	M50	1.250"	1.250R	RH	44	3000	1.90		1579	17.00	21
K3	Universal	M50	1.250"	1.250R	RH	44	3000	2.00	2.00	1500	17.00	22
K3	Universal	5416	1"	1R	RH	16	2800	2.00	2.00	1400	B 14.50	22
K3	Universal	5424	1"	1R	RH	24	2800	2.00	2.00	1400	15.50	20
K3	Universal	5424	1"	1R	RH	24	2800	2.05	2.00	1366	15.50	20
K3	Universal	5424	1"	1R	RH	24	2800	2.14	2.10	1308	B 16.00	21
K3	Universal	Atomic 4	1"	1R	RH	25	3000	2.00	2.00	1500	16.00	21
K3	Universal	Atomic 4	1"	1R	RH	25	3000	2.14	2.14	1402	15.50	21
K3	Universal	Stevedore	1"	1R	RH	18	3000	2.00	2.59	1500	15.50	20
K4	Valmet	55.00	40mm		RH	55	2500	2.93	2.93	853	20.50	22
K4	VETUS	65.00	35mm		RH	65	3000	1.93	1.93	1554	B 18.00	22
K3	Vetus	M2.04	25mm	25R	RH	11	3600	2.00	2.13	1800	X 12.50	22
K3	Vetus	M3.09	25mm	25R	RH	25	3600	2.60	3.00	1385	16.50	21
K3	Vetus	M3.09	25mm	25R	RH	25	3600	2.72	2.72	1324	16.50	21
K3	Vetus	M328A	Spline	130S	LH	28	3600	2.20	2.20	1636	16.00	21
K3	Vetus	M4.14	1"	1R	RH	34	3000	1.79	1.86	1676	16.00	21
K3	Vetus	M4.14	NZ1"	N1L	LH	31	3000	1.86	1.79	1613	16.50	21
K3	Vetus	M4.14	Blank	BR	RH	33	3000	1.95	2.63	1538	16.50	22
K3	Vetus	M4.14	25mm	25R	RH	30	3600	2.00	2.00	1800	16.00	21
K3	Vetus	M4.14	Spline	Selva	RH	30	3600	2.20	2.20	1636	15.50	22
K3	Vetus	M4.14	25mm	25R	RH	28	3600	2.61	3.20	1379	16.50	21
K3	Vetus	M4.15	30mm	30R	RH	34	3000	1.76	1.86	1705	16.00	21
K3	Vetus	M4.15	30mm	30R	RH	33	3000	2.05	1.86	1463	16.50	22
K3	Vetus	M4.15	1.250"	1.250R	RH	32	3000	2.14	2.14	1402	16.50	23
K3	Vetus	M4.15	Spline	SD20	LH	32	3000	2.19	2.19	1370	17.00	21
K3	Vetus	M4.15	1.250"	1.250R	RH	33	3000	2.63	2.63	1141	17.00	22
K3	Vetus	M4.17	Spline	110S	LH	43	3000	1.66	1.66	1807	16.50	21
K3	Vetus	M4.17	30mm	30L	LH	42	3000	1.93	1.93	1554	B 17.00	22
K3	Vetus	M4.17	25mm	25R	RH	42	3000	2.00	2.00	1500	17.00	23
K3	Vetus	M4.17	25mm	25R	RH	42	3000	2.05	2.05	1463	17.00	23

K3	Vetus	M4.17	Spline	ZF SD10	LH	42	3000	2.16	2.05	1389	18.50	23
K3	Vetus	M4.17	30mm	30R	RH	42	3000	2.63	1.95	1141	18.50	23
K3	Vetus	M4.55	30mm	30L	LH	52	3000	1.88	1.88	1596	17.00	22
K3	Vetus	P4-25	30mm	30L	LH	55	3500	2.82	2.82	1241	18.50	23
K3	Vetus	P4.21	30mm	30R	RH	52	3400	2.13	2.22	1596	17.00	22
K3	Vetus	P4.25	30mm	30L	LH	55	3500	2.57	2.57	1362	18.50	23
K3	Vetus	TBA	1"	1R	RH	16	3600	2.72	2.72	1324	15.50	21
K3	Vetus	Vetus	30mm	30R	RH	23	3600	2.67		1348	18.50	22.8
K4	Vetus	VH4.65SD	Spline	SP60	LH	65	3000	2.15	2.15	1395	19.50	21
K3	Volvo	2002	1"	1R	RH	18	3200	2.20		1455	16.00	20
K3	Volvo	2002	NZ1"	N1L	LH	18	3200	2.37	2.37	1350	15.50	22
K3	Volvo	2002	Blank	BL	LH	18	3200	3.00	3.00	1067	17.00	22
K3	Volvo	2003	NZ1"	N1L	LH	28	3200	2.00	2.00	1600	16.00	21
K3	Volvo	2003	NZ1"	N1R	RH	28	3200	2.14	2.57	1495	B 16.50	21
K3	Volvo	2003	Spline	120S	LH	27	3000	2.20	2.20	1364	16.00	21
K3	Volvo	2003	25mm	25L	LH	28	3200	2.35	2.35	1362	16.50	21
K3	Volvo	2003	30mm	30L	LH	28	3200	2.37	2.37	1350	16.50	21
K3	Volvo	2003	25mm	25L	LH	28	3200	3.00	3.00	1067	18.50	22
K3	Volvo	2003	25mm	25L	LH	18	3600	3.20	2.21	1125	16.50	21
K3	Volvo	2020	NZ1"	N1R	RH	18	3600	2.00	2.00	1800	B 14.50	21
K3	Volvo	2020	25mm	25L	LH	19	3600	2.30	2.70	1565	15.50	19
K3	Volvo	2020	25mm	25R	RH	18	3600	2.35		1532	15.50	22
K3	Volvo	2020	NZ1"	N1L	LH	18	3600	2.37	2.70	1800	15.50	20
K3	Volvo	2020	25mm	25L	LH	28	3600	2.72	2.35	1324	15.50	20
K3	Volvo	2030	25mm	25R	RH	28	3600	2.35			16.50	21
K3	Volvo	2030	25mm	25R	RH	28	3600	2.63	1.95	1369	15.50	24
K3	Volvo	2030	1.250"	1.250R	RH	28	3600	2.72	2.72	1324	16.50	23
K3	Volvo	2030	Blank	BL	LH	28	3600	3.00	3.00	1200	17.00	22
K3	Volvo	2040	30mm	30R	RH	38	3600	2.14	3.20	1682	16.50	22
K3	Volvo	2040	25mm	25R	RH	38	3600	2.30	2.63	1565	16.00	23
K3	Volvo	2040	1.250"	1.250L	LH	38	3600	2.37	2.37	1364	17.00	22

K3	Volvo	2040	30mm	30L	LH	38	3600	2.48	2.30	1452	17.00	21	
K3	Volvo	2040	30mm	30R	RH	38	3600	2.63	1.96	1369	17.00	23	
K3	Volvo	2002SD	Spline	120S	LH	18	3200	2.20	2.20	1455	B	15.50	21
K3	Volvo	2003SD	Spline	120S	LH	28	3200	2.20		1455	16.75	21	
K3	Volvo	2003SD	Spline	130S	LH	28	3200	2.24		1429	16.50	21	
K3	Volvo	2003SD	Spline	130S	LH	38	3600	2.47	2.47	1457	17.00	22	
K3	Volvo	2003T			LH	43	3200	2.20		1455	17.00	22	
K3	Volvo	2003T	30mm	30L	LH	43	3200	2.37	2.37	1350	17.00	23	
K3	Volvo	2003T	30mm	30L	LH	43	3200	3.01	3.01	1063	18.50	23	
K3	Volvo	2003TSD	Spline	120S	LH	43	3200	2.20		1455	18.50	21	
K3	Volvo	2003TSD	Spline	130S	LH	43	3200	2.24	2.24	1429	17.00	22	
K3	Volvo	2020SD	Spline	120S	LH	19	3600	2.20	2.20	1636	14.50	21	
K3	Volvo	2020SD	Spline	120S	LH	19	3600	2.47	2.47	1457	15.50	21	
K3	Volvo	2030SD	Spline	130S	LH	28	3200	2.19	2.19	1461	16.50	21	
K3	Volvo	2030SD	Spline	130S	LH	28	3600	2.20	2.20	1636	B	15.50	22
K3	Volvo	2030SD	Spline	130S	LH	28	3600	2.47	2.47	1461	16.50	21	
K3	Volvo	2030SD	Spline	130S	LH	28	3600	2.64	2.64	1364	16.50	22	
K3	Volvo	2040SD	Spline	130S	LH	38	3600	2.20	2.20	1636	17.00	23	
K3	Volvo	2040SD	Spline	120S	LH	38	3600	2.47	2.47	1457	17.00	23	
K3	Volvo	905-E	Spline	110S	LH	18	3600	1.91	1.91	1885	14.00	22	
K3	Volvo	D1-13SD	Spline	130S	LH	13	3200	2.19	2.19	1461	14.00	22	
K3	Volvo	D1-20	Spline	120S	LH	21	3000	2.20	2.20	1364	15.50	20.50	
K3	Volvo	D1-20	25mm	25L	LH	19	3200	2.37	2.37	1350	16.00	21	
K3	Volvo	D1-20	25mm	25R	RH	19	3200	2.72	2.70	1176	16.50	22	
K3	Volvo	D1-20SD	Spline	130S	LH	18	3200	2.19	2.19	1461	15.50	21	
K3	Volvo	D1-20SD	Spline	120S	LH	21	3200	2.20	2.20	1455	15.50	21	
K3	Volvo	D1-30	1.250"	1.250L	LH	28	3200	1.95	2.14	1641	B	15.50	22
K3	Volvo	D1-30	1"	1L	LH	30	3200	2.26	2.37	1416	B	16.50	23
K3	Volvo	D1-30	1"	1R	RH	28	3200	2.35	2.26	1362	16.50	21	
K3	Volvo	D1-30	30mm	30L	LH	30	3200	2.37	2.72	1350	16.50	22	
K3	Volvo	D1-30	1"	1R	RH	28	3200	2.63	2.72	1217	B	17.00	23

K3	Volvo	D1-30SD	Spline	130S	LH	28	3200	2.19	2.19	1461	16.50	22
K3	Volvo	D1-30SD	Spline	120S	LH	28	3200	2.20	2.20	1455	16.50	21
K3	Volvo	D1-30SD	Spline	130S	LH	28	3200	2.47	2.47	1296	17.00	21
K3	Volvo	D1-30SD	Spline	130S	LH	28					16.50	21
K3	Volvo	D2-40	30mm	30R	RH	40	3200	2.14	1.96	1495	17.00	22
K3	Volvo	D2-40	Spline	120S	LH	40	3200	2.19	2.19	1461	17.00	22
K3	Volvo	D2-40	Spline	130S	LH	40	3200	2.20	2.20	1455	17.00	22
K3	Volvo	D2-40	Spline	130S	LH	28	3600	2.47	2.47	1457	17.00	21
K3	Volvo	D2-40	1.250"	1.250R	RH	39	3200	2.60	3.20	1231	B 18.50	23
K3	Volvo	D2-40	1.250"	1.250R	RH	40	3200	2.63	3.20	1217	18.50	23
K3	Volvo	D2-40SD	Spline	130S	LH	38	3000	2.19	2.19	1370	17.00	22
K3	Volvo	D2-40SD	Spline	130S	LH	40	3200	2.20	2.20	1455	17.00	22
K3	Volvo	D2-55	1.250"	1.250L	LH	52	3000	2.10	2.10	1364	18.50	23
K3	Volvo	D2-55	30mm	30L	LH	53	3000	2.12	2.15	1415	B 18.50	23
K4	Volvo	D2-55	Spline	130S	LH	53	3000	2.20	2.20	1364	18.00	21
K4	Volvo	D2-55	30mm		RH	53	3000	2.23	2.23	1345	18.00	21
K3	Volvo	D2-55	30mm	30R	RH	53	3000	2.27	2.20	1322	19.50	22
K3	Volvo	D2-55	NZ1.250"	N1.250L	LH	52	3000	2.29	2.29	1364	18.50	23
K3	Volvo	D2-55	30mm	30L	LH	52	3000	2.40	2.40	1250	18.50	23
K4	Volvo	D2-55	35mm		RH	49	3000	2.74	2.74	1095	19.50	22
K3	Volvo	D2-55SD	Spline	130S	LH	52	3000	2.19	2.19	1370	18.50	23
K3	Volvo	D2-55SD	Spline	130S	LH	52	3000	2.20	2.20	1364	19.50	24
K4	Volvo	D2-75SD	Spline	150	LH	75	3000	2.20	2.20	1364	20.50	22
K3	Volvo	MB10	25mm	25L	LH	15	2000	1.90	1.90	1053	16.00	21
K3	Volvo	MD11	1.125"	1.125L	LH	16	2300	1.87	1.70	1230	15.00	21
K3	Volvo	MD11B	1"	1L	LH	23	2500	1.87	1.91	1337	15.50	22
K3	Volvo	MD11B	1"	1L	LH	23	2500	1.91	1.91	1309	15.50	22
K3	Volvo	MD11C	Spline	120S	LH	23	2500	1.66	1.66	1506	15.50	23
K3	Volvo	MD11C	25mm	25L	LH	23	2500	1.91	1.91	1309	16.00	21
K3	Volvo	MD11C	NZ1"	N1L	LH	23	2500	2.07	2.07	1208	17.00	22
K3	Volvo	MD11C	Spline	120S	LH	18	3200	2.20	2.20	1455	15.50	20

K3	Volvo	MD11C	NZ1"	N1L	LH	23	2500	2.25		1111	16.00	21	
K3	Volvo	MD11D	25mm	25L	LH	21	3000	2.00	2.00	1500	15.50	21	
K3	Volvo	MD11D	Spline	120S	LH	25	3000	2.20	2.20	1364	16.50	21	
K3	Volvo	MD11D	25mm	25L	LH	25	3000	2.40	2.40	1250	16.50	22	
K3	Volvo	MD17C	NZ1.250"	N1.250L	LH	35	2500	1.91	1.91	1309	B	17.00	23
K3	Volvo	MD17C	1.250"	1.250L	LH	35	2500	3.00	3.00	833		17.00	23
K3	Volvo	MD17CSD	Spline	110S	LH	35	2500	1.66	1.66	1506		16.50	22
K3	Volvo	MD17D	Blank	BL	LH	36	3000	2.40	2.40	1250		18.50	22
K3	Volvo	MD17DSD	Spline	120S	LH	36	3000	2.20	2.20	1364		17.00	22
K3	Volvo	MD21A	1.250"	1.250L	LH	50	3000	1.91	1.91	1571		17.00	22
K3	Volvo	MD21B	30mm	30L	LH	50	4500	1.91	1.91	2356		17.00	21
K3	Volvo	MD21B	30mm	30L	LH	45	3000	1.93	1.93	1554		17.00	22
K3	Volvo	MD21B	Spline	130S	LH	60	4000	2.19	2.19	1826		18.50	21
K3	Volvo	MD21B	Spline	120S	LH	50	4500	2.20	2.20	2045		17.00	22
K3	Volvo	MD21BSD	Spline	110S	LH	45	3000	2.15	2.15	1395		17.00	24
K3	Volvo	MD21BSD	Spline	120S	LH	45	3000	2.20	2.20	1364		18.50	24
K4	Volvo	MD22	Spline		LH	49	3000	2.20	2.20	1364	B	18.00	21
K3	Volvo	MD22A	1.250"	1.250R	RH	58	3500	1.88	2.80	1862		17.00	21
K3	Volvo	MD22A	Spline	120S	LH	50	3500	2.20	2.20	1591		17.00	23
K3	Volvo	MD22A	30mm	30L	LH	57	3500	2.30	2.30	1522		18.50	23
K3	Volvo	MD22A	30mm	30R	RH	50	3500	2.31	2.31	1515		16.00	23
K3	Volvo	MD22A	30mm	30L	LH	57	3500	2.40	2.40	1458	B	18.50	23
K3	Volvo	MD22L	Blank	BR	RH	50	3000	1.91	1.91	1571		17.00	22
K3	Volvo	MD22L	30mm	30R	RH	49	3000	1.95	1.95	1538		18.50	22
K3	Volvo	MD22L	30mm	30R	RH	49	3000	2.00	2.00	1500		17.00	22
K3	Volvo	MD22L	30mm	30R	RH	49	3000	2.10	2.10	1429	B	18.50	22
K3	Volvo	MD22L	30mm	30L	LH	49	3000	2.20	2.20	1364		18.50	23
K3	Volvo	MD22L	Blank	BR	RH	49	3000	2.30	2.30	1304		18.50	23
K3	Volvo	MD22L	30mm	30R	RH	49	3000	2.31	2.31	1299		18.50	23
K3	Volvo	MD22L	30mm	30L	LH	49	3000	2.37	2.37	1266	B	19.50	22
K3	Volvo	MD22L	30mm	30R	RH	50	3000	2.40	2.40	1250		18.50	23

K3	Volvo	MD22L	30mm	30L	LH	50	3000	2.41	2.41	1245	19.50	22
K3	Volvo	MD22L	Spline	130S	LH	28	3600	2.47	2.47	1457	18.50	23
K4	Volvo	MD22L	30mm		LH	49	3000	3.00	3.00	1000	B 20.50	22
K3	Volvo	MD22LSD	Spline	120S	LH	49	3000	2.20	2.20	1364	18.50	22
K3	Volvo	MD22LSD	Spline	120S	LH	49	3000	2.47	2.47	1215	18.50	24
K3	Volvo	MD22P	1"	1R	RH	58	4000	2.00	2.00	2000	17.00	21
K3	Volvo	MD22P	Spline	120S	LH	49	4000	2.20	2.20	1818	18.50	23
K3	Volvo	MD22P	30mm	30L	LH	50	3600	2.30	2.30	1565	17.00	23
K3	Volvo	MD22P	30mm	30L	LH	50	3600	2.37	2.3	1519	18.50	22
K3	Volvo	MD22P	30mm	30R	RH	58	4000	2.74	2.30	1460	18.50	23
K3	Volvo	MD3	25mm	25L	LH	36	2500	1.91	1.91	1309	15.50	24
K3	Volvo	MD30	Spline	120S	LH	70	4000	2.20	2.20	1818	18.50	22
K3	Volvo	MD3B	30mm	30L	LH	36	2500	1.91	1.91	1309	17.00	23
K3	Volvo	MD7A	Spline	130S	LH	13.5	2600	1.66	1.66	1566	14.50	21
K3	Volvo	MD7A	1"	1L	LH	13	2600	1.91	1.91	1361	14.50	22
K3	Volvo	MD7B	1"	1L	LH	17	2600	1.91		1361	15.75	20
K3	Volvo	MD7B	Spline	120S	LH	17	3000	2.20	2.20	1364	15.50	22
K3	Volvo	MD7B	25mm	25L	LH	17	3000	2.40	2.40	1250	15.50	22
K3	Volvo	MD7B	Spline	120S	LH	17	3000	2.47	2.47	1215	15.50	21
K3	Volvo	MDIIC	25mm	25L	LH	23	2500	1.90	1.90	1316	16.00	22
K3	Volvo	TBA	Spline		LH	50	3000	2.20		1364	18.50	23
K4	Volvo	TMD22	35mm		LH	78	4500	2.40	2.40	1875	19.50	22
K4	Volvo	TMD22	35mm		LH	78	4500	3.00	3.00	1500	B 19.50	22
K4	Volvo	TMD31	30mm	30R	RH	75	3000	1.91	2.61	1571	18.00	21
K3	Volvo	Volvo	1.125"	1.125L	LH	58	2800	2.00		1400	B 18.50	22
K3	Volvo	2002	25mm	25L	LH	18	3200	2.37	2.37	1350	16.00	21
K3	Volvo	MD22	25mm	25L	LH	23	2500	1.91	1.91	1309	16.00	21
K3	VW	GOLF	NZ1"	N1R	RH	40	3600	1.88		1915	17.00	20
K3	VW	GOLF			LH	35	2600	2.10	2.10	1238	17.00	22
K3	VW	GOLF	NZ1.250"	N1.250R	RH	40	4000	2.72	2.15	1471	17.00	22
K3	VW	Pathfinder	30mm	30R	RH	50	3000	1.93	1.93	1554	17.00	23

K3	VW	Pathfinder	Spline	SME	LH	42	3600	2.25	2.25	1600	17.00	22
K3	VW	Pathfinder	1.250"	1.250R	RH	54	4000	2.63	1.95	1521	18.50	23
K3	VW	Pathfinder	1.250"	1.250R	RH	42	3600	2.68	2.00	1343	17.00	22
K3	VW	Pathfinder	1"	1R	RH	47	4000	2.80	2.80	1429	18.50	22
K3	VW	Pathfinder 50	1.250"	1.250R	RH	42	4000	2.88	2.88	1389	18.50	22
K3	Watermota	Sea Panther	NZ1"	N1R	RH	47	3500	1.79	1.86	1955	16.50	21
K3	Watermota	Sea Panther	NZ1"	N1L	LH	30	3000	2.00		1500	17.00	21
K3	Watermota	Sea Wolf	NZ1"	N1L	LH	30	2700	2.00		1350	17.00	21
K3	Westerbeke	4.107	1.250"	1.250R	RH	40	3000	2.00	2.00	1500	17.00	21
K3	Westerbeke	4.108	1.125"	1.125L	LH	42	3500	2.00	2.00	1750	17.00	20
K3	Westerbeke	20B Two	NZ1"	N1R	RH	18	3600	2.47	2.47	1457	B 15.50	22
K3	Westerbeke	4-91	1.250"	1.250L	LH	25	3000	1.67	1.67	1796	14.50	20
K3	Westerbeke	L25	1"	1R	RH	18	2250	2.00	2.00	1125	16.50	22
K3	Westerbeke	M 35	1"	1R	RH	30	3200	1.80	1.80	1778	16.00	19
K3	Westerbeke	W21	1"	1R	RH	21	3000	2.00	1.00	1500	15.50	20
K3	Westerbeke	W25	1"	1L	LH	25	2500	2.00	2.00	1250	16.50	22
K3	Westerbeke	W27	1"	1L	LH	27	3000	1.86	1.92	1613	16.00	21
K3	Westerbeke	W27	25mm	25R	RH	27	3000	2.00	2.00	1500	16.50	21
K3	Westerbeke	W27	1"	1R	RH	30	3000	2.13	2.22	1408	16.50	22
K3	Westerbeke	W27A	1"	1R	RH	27	3000	2.00	2.00	1500	16.00	20
K3	Westerbeke	W27A	1"	1R	RH	27	3000	2.10	2.10	1429	B 16.00	21
K3	Westerbeke	W30	1"	1L	LH	30	2500	2.00	2.00	1250	17.00	23
K3	Westerbeke	W30B	1"	1R	RH	27	3600	2.14	2.22	1682	15.50	21
K3	Westerbeke	W30B	1.125"	1.125R	RH	27	3600	2.47	2.47	1457	16.50	21
K3	Westerbeke	W30B	1"	1R	RH	27	3600	2.50	2.50	1440	16.50	21
K3	Westerbeke	W30B3	1"	1R	RH	26	3600	2.10	2.10	1714	14.50	21
K3	Westerbeke	W33	1"	1L	LH	33	3000	2.00	2.00	1500	16.50	21
K3	Westerbeke	W35B	1.125"	1.125R	RH	32	3500	2.47	2.36	1417	16.75	21
K3	Westerbeke	W35C3	1"	1R	RH	30	3600	2.04	2.50	1765	15.50	21
K3	Westerbeke	W35C3	1"	1R	RH	30	3600	2.47	2.96	1457	16.50	22
K3	Westerbeke	W35D	1"	1R	RH	35	3000	2.45	2.45	1224	B 17.00	23

K3	Westerbeke	W35D3	1"	1R	RH	30	3000	1.88	1.88	1596	16.00	21
K3	Westerbeke	W35D3	1"	1R	RH	31	3000	2.00	2.00	1500	16.50	21
K3	Westerbeke	W38B	1"	1L	LH	37	3500	2.00	2.00	1750	15.50	20
K3	Westerbeke	W38B	Blank	1R	RH	37	3600	2.47	2.36	1457	17.00	22
K3	Westerbeke	W40	1.125"	1.125L	LH	40	3000	2.00	2.00	1500	17.00	21
K3	Westerbeke	W41	1"	1R	RH	41	3200	2.00	2.00	1600	16.50	22
K3	Westerbeke	W42B	1"	1R	RH	42	3600	2.13	2.99	1690	17.00	22
K3	Westerbeke	W42B	1"	1R	RH	42	3600	2.47	2.36	1457	B 17.00	22
K3	Westerbeke	W42B	1.250"	1.250R	RH	42	3600	2.63	1.95	1369	16.50	23
K3	Westerbeke	W44	30mm	30R	RH	44	3000	2.14	2.14	1402	17.00	22
K3	Westerbeke	W44A	30mm	30R	RH	40	3600	2.47	2.14	1457	17.00	22
K4	Westerbeke	W44C	30mm		RH	38	3000	2.00	2.00	1500	17.50	22
K3	Westerbeke	W45	1"	1R	RH	45	3000	2.00	2.00	1500	17.00	22
K3	Westerbeke	W46	1.250"	1.250R	RH	46	3000	1.88	1.88	1596	17.00	22
K3	Westerbeke	W49	1.250"	1.250R	RH	49	2900	2.10		1381	B 17.00	22
K3	Westerbeke	W50	1"	1R	RH	45	3200	2.00	2.00	1600	17.00	22
K3	Westerbeke	W52	1.125"	1.125R	RH	52	3000	2.00	2.00	1500	B 18.50	24
K3	Westerbeke	W55B	1.250"	1.250R	RH	56	3000	1.88	1.88	1596	18.50	22
K3	Westerbeke	W56	1.250"	1.250L	LH	56	3000	2.00	2.00	1500	18.50	23
K3	Westerbeke	W58	1.250"	1.250R	RH	60	3000	1.91	1.91	1571	18.50	23
K3	Yamaha	Yamaha	1.250"	1.250R	RH	21	2600	2.45	2.45	1061	17.00	23
K3	Yanmar	100 HP	1.250"	1.250R	RH	45		4.00		800	18.50	24
K3	Yanmar	1GM	25mm	25R	RH	7	3600	2.61	3.20	1379	14.50	20
K3	Yanmar	1GM	25mm	25R	RH	9	3600	3.20	3.20	1125	14.00	22
K3	Yanmar	1GM10	NZ1"	N1R	RH	18	3600	2.61	3.20	1379	15.50	18
K3	Yanmar	2GM	1"	1R	RH	15	3600	2.21	3.20	1629	15.00	19
K3	Yanmar	2GM	1"	1R	RH	15	3600	2.61	3.20	1379	14.50	22
K3	Yanmar	2GM	25mm	25R	RH	15	3600	3.20	3.20	1125	15.50	22
K3	Yanmar	2GM	25mm	25R	RH	15	3600	3.22	3.20	1118	16.50	22
K3	Yanmar	2GM20	25mm	25R	RH	18	3600	2.12	3.20	1698	14.50	22
K3	Yanmar	2GM20	1"	1R	RH	18	3600	2.14	2.50	1682	15.50	18

K3	Yanmar	2GM20	NZ1"	N1R	RH	18	3600	2.21	3.20	1629	14.50	22
K3	Yanmar	2GM20	1"	1R	RH	18	3600	2.61	3.20	1379	16.00	20
K3	Yanmar	2GM20	Spline	SD20	LH	18	3600	2.64	2.64	1364	16.00	20
K3	Yanmar	2GM20	NZ1"	N1R	RH	18	3400	2.80	3.20	1214	18.00	20
K3	Yanmar	2GM20	NZ1"	N1L	LH	18	3600	3.06	2.21	1176	B 16.50	21
K3	Yanmar	2GM20	25mm	25R	RH	18	3600	3.20	3.20	1125	16.50	21
K3	Yanmar	2GM20SD	Spline	SD20	LH	18	3600	2.64	2.64	1364	16.00	21
K3	Yanmar	2GM20SD	Spline	SD20	LH	15	3600	2.64	2.64	1364	15.50	18
K3	Yanmar	2QM15	1"	1R	RH	15	3000	2.14	2.50	1402	14.50	22
K3	Yanmar	2QM20	1"	1R	RH	20	2800	2.01		1393	B 17.00	20
K3	Yanmar	2QM20	25mm	25R	RH	20	2800	2.14	2.50	1308	17.00	22
K3	Yanmar	2QM20	NZ1"	N1R	RH	20	2800	2.80		1000	B 18.50	21
K3	Yanmar	2QM20	30mm	30R	RH	20	2800	2.83	2.83	989	18.50	21
K3	Yanmar	2QM20	NZ1"	N1R	RH	20	2700	3.00		900	18.50	20
K3	Yanmar	2QM20	1"	1R	RH	20	2800	3.20	3.20	875	B 18.50	21
K3	Yanmar	2T	NZ1"	N1R	RH	14	2800	2.00		1400	15.50	20
K3	Yanmar	2YM15	1"	1R	RH	15	3600	2.21	3.20	1629	14.00	22
K3	Yanmar	2YM15	1"	1R	RH	15	3600	2.61	3.20	1379	14.50	22
K3	Yanmar	2YM15	25mm	25R	RH	12	3200	3.22	3.20	994	15.50	22
K3	Yanmar	2YM15SD	Spline	SD20	LH	15	3600	2.64	2.64	1364	14.50	22
K3	Yanmar	3GM	NZ1"	N1R	RH	22	3600	2.36	3.20	1525	15.50	22
K3	Yanmar	3GM	1"	1R	RH	22	3600	2.61	3.20	1379	16.00	21
K3	Yanmar	3GM	30mm	30R	RH	22	3200	3.22	3.20	994	16.50	21
K3	Yanmar	3GM30	NZ1"	N1R	RH	27	3600	2.00	3.20	1800	16.00	20
K3	Yanmar	3GM30	1.250"	1.250R	RH	27	3600	2.14	3.20	1682	B 16.00	20
K3	Yanmar	3GM30	25mm	25R	RH	27	3600	2.21	3.20	1629	16.00	20
K3	Yanmar	3GM30	1.250"	1.250R	RH	27	3600	2.36	3.20	1525	16.00	21
K3	Yanmar	3GM30	1"	1R	RH	27	3600	2.61	3.20	1379	16.50	22
K3	Yanmar	3GM30	NZ1.250"	N1.250R	RH	20	3600	2.72	2.15	1324	16.50	21
K3	Yanmar	3GM30	25mm	25R	RH	27	3600	2.81	3.20	1281	16.50	21
K4	Yanmar	3GM30	35mm		RH	27	3600	2.83	3.20	1272	B 16.50	21

K3	Yanmar	3JH3	NZ1.250"	N1.250R	RH	40	3800	2.30	3.20	1652	16.50	22
K3	Yanmar	3JH3	1.125"	1.125R	RH	40	3800	2.33	3.16	1631	16.50	22
K3	Yanmar	3JH3	1"	1R	RH	40	3800	2.36	3.16	1610	16.50	22
K3	Yanmar	3JH3	30mm	30R	RH	40	3800	2.61	3.20	1456	17.00	23
K3	Yanmar	3JH3	30mm	30R	RH	40	3800	2.64	3.20	1439	17.00	22
K3	Yanmar	3JH3	1.250"	1.250R	RH	40	3800	2.80	3.20	1357	17.00	23
K3	Yanmar	3JH3	1.250"	1.250R	RH	40	3800	3.20	3.20	1188	18.50	23
K3	Yanmar	3JH3SD	Spline	SD60-2.23	LH	40	3800	2.23	2.23	1704	B 17.00	22
K3	Yanmar	3JH3SD	Spline	SD40	LH	39	3800	2.30	2.30	1652	17.00	21
K3	Yanmar	3JH3SD	Spline	SD40	LH	40	3800	2.31	2.31	1645	17.00	22
K3	Yanmar	3JH4	1.250"	1.250R	RH	40	3000	2.00	2.00	1500	17.00	22
K3	Yanmar	3JH4	25mm	25R	RH	40	3000	2.14	2.14	1402	17.00	22
K3	Yanmar	3JH4	1"	1R	RH	40	3000	2.15	3.04	1395	18.50	21
K3	Yanmar	3JH4	1"	1R	RH	40	3000	2.31	2.31	1299	17.00	24
K3	Yanmar	3JH4	1.250"	1.250R	RH	40	3000	2.33	3.04	1288	18.50	22
K3	Yanmar	3JH4	30mm	30R	RH	40	3000	2.36	3.04	1271	18.50	22
K3	Yanmar	3JH4	30mm	30R	RH	40	3000	2.60	3.04	1154	18.50	23
K3	Yanmar	3JH4	NZ1.250"	N1.250R	RH	40	3000	2.62	3.16	1145	18.50	23
K3	Yanmar	3JH45SD	Spline	SD60-2.23	LH	45	3000	2.23	2.23	1345	18.50	23
K3	Yanmar	3JH4SD	Spline	SD60-2.23	LH	40	3000	2.23	2.23	1345	18.50	21
K3	Yanmar	3JH4SD	Spline	SD40	LH	40	3000	2.31	2.31	1299	18.50	22
K3	Yanmar	3JH5	1"	1R	RH	40	3000	2.13	2.13	1408	17.00	24
K3	Yanmar	3JH5	NZ1"	N1R	RH	40	3000	2.36	3.15	1271	18.50	22
K4	Yanmar	3JH5 K4	Spline	SD60-2.49	LH	39	3000	2.49	2.49	1205	18.00	21
K3	Yanmar	3JH5SD	Spline	SD60-2.23	LH	40	3000	2.23	2.23	1345	18.50	21
K3	Yanmar	3JH5SD	Spline	SD50	LH	40	3000	2.31	2.31	1299	18.50	22
K3	Yanmar	3JH5SD	Spline	SD60-2.23	LH	40	3000	2.23	2.23	1345	18.50	21
K3	Yanmar	3JH5SD	Spline	SD60-2.49	LH	40	3000	2.49	2.49	1205	B 18.50	23
K3	Yanmar	3QM30	1.250"	1.250R	RH	30	2800	1.88	1.88	1489	17.00	23
K3	Yanmar	3QM30	1.250"	1.250R	RH	33	2600	1.91		1361	18.50	22
K3	Yanmar	3QM30	1.250"	1.250R	RH	32	3000	2.03	2.03	1478	17.00	23

K3	Yanmar	3QM30	1.250"	1.250R	RH	30	3400	2.14		1589	B	17.00	21
K3	Yanmar	3QM30	25mm	25R	RH	30	2800	3.00	3.00	933		18.50	23
K3	Yanmar	3TNA68	1"	1L	LH	19	2800	2.05	2.05	1366		15.50	20
K3	Yanmar	3YM20	NZ1"	N1R	RH	21	3600	2.21	3.20	1629		14.50	22
K3	Yanmar	3YM20	1"	1R	RH	21	3600	2.61	3.20	1379		16.00	21
K3	Yanmar	3YM20	Spline	SD20	LH	20	3600	2.64	2.64	1364		16.00	21
K3	Yanmar	3YM20	25mm	25R	RH	21	3600	3.20	3.20	1125		16.50	21
K3	Yanmar	3YM20SD	Spline	130S	LH	18	3200	2.19	2.19	1461		16.00	21
K3	Yanmar	3YM20SD	Spline	SD25	LH	21	3600	2.64	2.64	1364		16.00	21
K3	Yanmar	3YM30	1"	1R	RH	27	3600	2.21	3.20	1629		15.50	21
K3	Yanmar	3YM30	Spline	ZF SD10	LH	29	3600	2.49	2.49	1446		16.50	21
K3	Yanmar	3YM30	NZ1"	N1R	RH	27	3600	2.61	3.20	1379		15.50	24
K3	Yanmar	3YM30	Spline	SD20	LH	27	3600	2.64	2.64	1364		16.50	22
K3	Yanmar	3YM30	1.250"	1.250R	RH	29	3600	3.20	3.20	1125	B	17.00	24
K3	Yanmar	3YM30AE	25mm	25R	RH	29	3200	2.21	3.20	1448		16.50	21
K3	Yanmar	3YM30AE	NZ1"	N1R	RH	27	3600	2.61	3.20	1379		16.00	25
K3	Yanmar	3YM30AESD	NZ1"	N1R	RH	29	3200	2.61	3.00	1226		15.50	24
K3	Yanmar	3YM30AESD	Spline	SD25	LH	29	3200	2.64	2.64	1212		17.00	22
K3	Yanmar	3YM30SD	Spline	SD20	LH	29	3600	2.64	2.64	1364		16.50	22
K3	Yanmar	4JB3BE	1.250"	1.250R	RH	56	3600	2.64		1364		18.50	23
K3	Yanmar	4JH	30mm	30L	LH	44	3600	2.17	3.06	1659		17.00	22
K3	Yanmar	4JH	30mm	30R	RH	44	3600	2.63	3.20	1369		18.50	22
K3	Yanmar	4JH	1.250"	1.250R	RH	44	3600	2.99	2.22	1204		18.50	23
K3	Yanmar	4JH-T	1.250"	1.250R	RH	55	3600	2.63	3.20	1369		18.50	24
K3	Yanmar	4JH2	1"	1R	RH	51	3600	2.13	2.22	1690		17.00	21
K3	Yanmar	4JH2	1.125"	1.125L	LH	51	3600	2.14	2.14	1682		17.00	22
K3	Yanmar	4JH2	1.250"	1.250R	RH	51	3600	2.17	3.06	1659		17.00	22
K4	Yanmar	4JH2	1.250"		RH	51	3600	2.61	3.20	1379	B	18.00	21
K3	Yanmar	4JH2	1.250"	1.250R	RH	51	3600	2.62	3.20	1374		19.50	22
K3	Yanmar	4JH2	1.250"	1.250R	RH	51	3600	2.63	3.20	1369		19.50	22
K3	Yanmar	4JH2	1.250"	1.250R	RH	51	3600	2.68	2.68	1231		18.50	23

K3	Yanmar	4JH2	1.250"	1.250R	RH	51	3600	2.99	2.22	1204	19.50	22
K4	Yanmar	4JH2DT	35mm		RH	85	3600	2.69	2.63	1338	20.50	23
K3	Yanmar	4JH2SD	Spline	SD31	LH	51	3600	2.31	2.31	1558	18.50	22
K3	Yanmar	4JH2T	1.250"	1.250R	RH	62	3600	2.17	3.06	1659	17.00	23
K3	Yanmar	4JH2T	1.250"	1.250R	RH	51	3600	2.23	2.74	1614	B 19.50	22
K4	Yanmar	4JH2T	30mm	30R	RH	62	3600	2.61	3.20	1379	B 18.00	23
K3	Yanmar	4JH2T	30mm	30R	RH	51	3600	2.62	3.20	1374	19.50	22
K4	Yanmar	4JH2T	1.250"		RH	62	3600	2.63	2.63	1369	18.00	22
K3	Yanmar	4JH3	1"	1L	LH	55	3800	2.10		1810	16.50	21
K3	Yanmar	4JH3	NZ1.250"	N1.250R	RH	50	3800	2.13	2.20	1784	18.50	21
K3	Yanmar	4JH3	30mm	30R	RH	55	3800	2.14	3.20	1776	18.50	21
K3	Yanmar	4JH3	1.250"	1.250R	RH	55	3800	2.33	2.33	1631	17.00	23
K3	Yanmar	4JH3	30mm	30R	RH	55	3800	2.36	3.20	1610	18.50	22
K4	Yanmar	4JH3	1.500"		RH	55	3500	2.61	3.16	1341	18.00	22
K3	Yanmar	4JH3	1.250"	1.250R	RH	55	3800	2.63	3.20	1445	18.50	23
K3	Yanmar	4JH3SD	Spline	SD40	LH	55	3800	2.31	2.31	1645	18.50	22
K4	Yanmar	4JH3T	35mm		RH	75	3800	2.63	3.00	1445	19.50	22
K4	Yanmar	4JH3TSD	Spline	SD50	LH	75	3800	2.31	2.31	1645	18.00	23
K3	Yanmar	4JH4	1.250"	1.250L	LH	54	3000	2.13	3.04	1408	18.50	23
K4	Yanmar	4JH4	40mm		RH	54	3000	2.14	3.20	1402	18.00	21
K3	Yanmar	4JH4	1.250"	1.250R	RH	54	3000	2.33	3.04	1288	19.50	23
K3	Yanmar	4JH4	30mm	30R	RH	54	3000	2.36	3.20	1271	19.50	22
K4	Yanmar	4JH4	1.250"		RH	55	3000	2.61	3.20	1149	19.50	22
K3	Yanmar	4JH4	30mm	30R	RH	54					18.50	22
K4	Yanmar	4JH4AE	1.250"		RH	50	3000	2.36	3.20	1271	18.00	22
K3	Yanmar	4JH4SD	Spline	SD50	RH	54	3000	2.31	2.31	1299	19.50	22
K4	Yanmar	4JH4T	30mm		RH	75	3200	2.15	2.63	1488	B 20.50	22
K4	Yanmar	4JH4T	Spline		LH	75	3200	2.31	2.31	1385	19.50	22
K4	Yanmar	4JH4T	30mm		RH	75	3200	2.61	2.32	1226	B 20.50	22
K4	Yanmar	4JH4T	1.250"		RH	75	3600	2.63	2.63	1369	B 20.50	22
K4	Yanmar	4JH4T	30mm		RH	75	3000	2.69	3.00	1115	B 20.50	23

K3	Yanmar	4JH5	1.250"	1.250R	RH	54	3000	2.10	3.04	1429	18.50	23
K3	Yanmar	4JH5	1.250"	1.250R	RH	53	3000	2.14	1.95	1402	18.50	22
K3	Yanmar	4JH5	30mm	30R	RH	54	3000	2.15	3.16	1395	18.50	24
K3	Yanmar	4JH5	30mm	30R	RH	55	3200	2.31	3.20	1385	19.50	22
K4	Yanmar	4JH5	1.250"		RH	50	3000	2.36	3.20	1271	18.00	22
K3	Yanmar	4JH5	30mm	30R	RH	54	3000	2.61	3.16	1149	19.50	24
K3	Yanmar	4JH5SD	Spline	SD60-2.23	LH	54	3000	2.23	2.23	1345	18.50	23
K3	Yanmar	4JH5SD	Spline	SD50	LH	53	3000	2.31	2.31	1299	19.50	22
K4	Yanmar	4JH5SD	Spline		LH	55	3000	2.33	2.31	1288	18.00	22
K3	Yanmar	4JH5SD	Spline	SD60-2.49	LH	54	3000	2.49	2.49	1205	B 19.50	23
K3	Yanmar	4JHT	1"	1R	RH	55	3600	2.10	3.20	1714	18.50	22
K3	Yanmar	4JHT	30mm	30R	RH	55	3600	2.17	3.20	1659	17.00	22
K3	Yanmar	4JHT	1.250"	1.250R	RH	55	3600	2.63	3.20	1369	B 18.50	23
K3	Yanmar	4JHT	1.250"	1.250L	LH	55	3600	3.30	3.30	1091	19.50	23
K3	Yanmar	4JHZ-TE	1.250"	1.250R	RH	46	3600	2.17		1659	18.50	21
K3	Yanmar	4TNV88DID	30mm	30R	RH	55	3600	2.36	3.20	1525	18.50	23
K3	Yanmar	D2-40	30mm	30R	RH	38	3200	2.14	2.14	1495	17.00	22
K4	Yanmar	ME200FT	1.500"		RH	75	3200	2.41	2.41	1328	20.50	22
K3	Yanmar	YSB12	25mm	25L	LH	12	3600	3.00	3.00	1200	15.50	22
K3	Yanmar	YSE12	1"	1L	LH	12	3000	2.00	2.00	1500	14.50	20
K3	Yanmar	YSE12	1"	1L	LH	12	3000	3.00	3.00	1000	15.50	22
K3	Yanmar	YSE16	Spline	Sonic	LH	16	3000	2.00	2.00	1500	B 15.50	20
K3	Yanmar	YSE16	1"	1R	RH	16	3600	2.72	3.20	1324	15.50	21
K3	Yanmar	YSM12	NZ1"	N1L	LH	12	3000	1.98	3.06	1515	15.50	18